

RELATÓRIO - PRESCRIÇÃO DE DÉBITOS ATÉ 2005 - TÍTULOS A CANCELAR

Página: 798 / 1032

Página: 800 / 1032

Anexo único da Portaria Conjunta nº 01/2010 - SEREM/PROGEM

Table with 16 columns of alphanumeric identifiers (e.g., 2006.01091367, 2006.01091444, etc.) representing debt records.

Página: 799 / 1032

Página: 801 / 1032

Table with 16 columns of alphanumeric identifiers (e.g., 2006.01092225, 2006.01092333, etc.) representing debt records.

Página: 802 / 1032

Table with 10 columns of alphanumeric identifiers, likely representing a list of records or documents.

Página: 803 / 1032

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Página: 804 / 1032

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Página: 805 / 1032

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, likely representing a list of records or identifiers.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.



Página: 814 / 1032

Table of 20-digit alphanumeric codes arranged in columns, used for official identification.

Página: 815 / 1032

Table of 20-digit alphanumeric codes arranged in columns, used for official identification.

Página: 816 / 1032

Table of 20-digit alphanumeric codes arranged in columns, used for official identification.

Página: 817 / 1032

Table of 20-digit alphanumeric codes arranged in columns, used for official identification.

Página: 818 / 1032

Table with 10 columns of alphanumeric identifiers (e.g., 20060110975, 20060110976, etc.) arranged in a grid format.

Página: 819 / 1032

Table with 10 columns of alphanumeric identifiers (e.g., 20060111716, 20060111717, etc.) arranged in a grid format.

Página: 820 / 1032

Table with 10 columns of alphanumeric identifiers (e.g., 20060112487, 20060112488, etc.) arranged in a grid format.

Página: 821 / 1032

Table with 10 columns of alphanumeric identifiers (e.g., 20060119218, 20060119219, etc.) arranged in a grid format.

Página: 822 / 1032

Table with 10 columns of alphanumeric identifiers (e.g., 20060113846, 20060113847) arranged in a grid format.

Página: 823 / 1032

Table with 10 columns of alphanumeric identifiers (e.g., 20060114606, 20060114607) arranged in a grid format.

Página: 824 / 1032

Table with 10 columns of alphanumeric identifiers (e.g., 20060115137, 20060115138) arranged in a grid format.





RELATÓRIO - PRESCRIÇÃO DE DÉBITOS ATÉ 2005 - TÍTULOS A CANCELAR

Página: 830 / 1032

Página: 832 / 1032

Anexo único da Portaria Conjunta nº 01/2010 - SEREM/PROGEM

Table with 10 columns of alphanumeric identifiers (e.g., 20060111932, 20060111933) representing debt records.

Página: 831 / 1032

Table with 10 columns of alphanumeric identifiers (e.g., 20060112025, 20060112026) representing debt records.

Table with 10 columns of alphanumeric identifiers (e.g., 20060112040, 20060112155) representing debt records.

Página: 833 / 1032

Table with 10 columns of alphanumeric identifiers (e.g., 20060112193, 20060112200) representing debt records.

Table with 10 columns of alphanumeric codes, likely representing a list of identifiers or records.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric identifiers, likely representing a list of records or documents.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 5 columns of alphanumeric identifiers (e.g., 200601135334, 200601135335, etc.)

Table with 5 columns of alphanumeric identifiers (e.g., 200601135898, 200601135899, etc.)

Table with 5 columns of alphanumeric identifiers (e.g., 200601136965, 200601136966, etc.)

Table with 5 columns of alphanumeric identifiers (e.g., 200601140257, 200601140258, etc.)

Table with 10 columns of alphanumeric codes, likely representing a list of identifiers or records.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric identifiers, likely representing a list of records or documents.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 5 columns of numbers ranging from 20060115840 to 20060115928.

Table with 5 columns of numbers ranging from 20060115915 to 20060116010.

Table with 5 columns of numbers ranging from 20060115916 to 20060115928.

Table with 5 columns of numbers ranging from 20060116002 to 20060116028.

Table with 10 columns of numerical data, likely representing a list of identifiers or codes.

Table with 10 columns of numerical data, continuing the list from the previous page.

Table with 10 columns of numerical data, continuing the list from the previous page.

Table with 10 columns of numerical data, continuing the list from the previous page.



Table with 10 columns of alphanumeric identifiers, ranging from 20060185371 to 20060185445.

Table with 10 columns of alphanumeric identifiers, ranging from 20060186896 to 20060187056.

Table with 10 columns of alphanumeric identifiers, ranging from 20060186119 to 20060186204.

Table with 10 columns of alphanumeric identifiers, ranging from 20060186780 to 20060186929.



Página: 870 / 1032

Table with 10 columns of alphanumeric identifiers, likely representing a list of records or documents.

Página: 872 / 1032

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Página: 871 / 1032

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Página: 873 / 1032

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Página: 874 / 1032

Table with 10 columns of numbers, likely representing a list of identifiers or codes.

Página: 875 / 1032

Table with 10 columns of numbers, continuing the list from the previous page.

Página: 876 / 1032

Table with 10 columns of numbers, continuing the list from the previous page.

Página: 877 / 1032

Table with 10 columns of numbers, continuing the list from the previous page.

Página: 878 / 1032

Table with 10 columns of alphanumeric codes, likely representing a list of items or documents.

Página: 879 / 1032

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Página: 880 / 1032

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Página: 881 / 1032

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.



Página: 886 / 1032

Table with 10 columns of alphanumeric codes, likely representing a list of identifiers or records.

Página: 887 / 1032

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Página: 888 / 1032

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Página: 889 / 1032

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Página: 890 / 1032

Table with 10 columns of alphanumeric identifiers, likely representing a list of records or documents.

Página: 891 / 1032

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Página: 892 / 1032

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Página: 893 / 1032

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.



Table with 10 columns of alphanumeric identifiers, likely representing a list of records or documents.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 10 columns of alphanumeric identifiers (e.g., 200601199371, 200601199372, etc.) arranged in a grid format.

Table with 10 columns of alphanumeric identifiers (e.g., 20060120057, 20060120058, etc.) arranged in a grid format.

Table with 10 columns of alphanumeric identifiers (e.g., 200601201435, 200601201437, etc.) arranged in a grid format.

Table with 10 columns of alphanumeric identifiers (e.g., 20060120200, 20060120201, etc.) arranged in a grid format.

Página: 902 / 1032

Table with 10 columns of alphanumeric codes, likely representing a list of identifiers or records.

Página: 903 / 1032

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Página: 904 / 1032

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Página: 905 / 1032

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.



Table with 10 columns of alphanumeric identifiers, likely representing a list of records or documents.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 20 columns of alphanumeric identifiers, likely representing a list of records or documents.

Table with 20 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 10 columns of alphanumeric identifiers, likely representing a list of records or documents.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, likely representing a list of identifiers or document numbers.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.



Table with 10 columns of alphanumeric codes, likely representing a list of entries or identifiers.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Página: 930 / 1032

Table with 10 columns of alphanumeric identifiers, likely representing a list of records or documents.

Página: 931 / 1032

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Página: 932 / 1032

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Página: 933 / 1032

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, likely representing a list of identifiers or records.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of numerical data, likely representing a list of identifiers or codes. The first column contains the primary identifiers, and the following columns contain related numerical values.

Table with 10 columns of numerical data, continuing the list from the previous page. The first column contains the primary identifiers, and the following columns contain related numerical values.

Table with 10 columns of alphanumeric codes, likely representing a list of entries or identifiers.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.



Table with 10 columns of alphanumeric identifiers, likely representing a list of records or documents.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 10 columns of alphanumeric identifiers, likely representing a list of records or documents.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.



Table with 10 columns of alphanumeric codes, likely representing a list of identifiers or records.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Página: 962 / 1032

Table with 10 columns of numerical identifiers ranging from 200601247817 to 200601248984.

Página: 963 / 1032

Table with 10 columns of numerical identifiers ranging from 200601248985 to 200601250229.

Página: 964 / 1032

Table with 10 columns of numerical identifiers ranging from 200601249351 to 200601250303.

Página: 965 / 1032

Table with 10 columns of numerical identifiers ranging from 200601250310 to 200601250484.

Table with 15 columns of numerical data, likely representing a calendar or schedule for page 966.

Table with 15 columns of numerical data, likely representing a calendar or schedule for page 968.

Table with 15 columns of numerical data, likely representing a calendar or schedule for page 967.

Table with 15 columns of numerical data, likely representing a calendar or schedule for page 969.

Página: 970 / 1032

Table with 10 columns of alphanumeric codes, likely representing a list of identifiers or document numbers.

Página: 971 / 1032

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Página: 972 / 1032

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Página: 973 / 1032

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, likely representing a list of items or documents.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric identifiers, likely representing a list of records or documents.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 10 columns of alphanumeric identifiers, continuing the list from the previous page.

Table with 10 columns of alphanumeric identifiers (e.g., 200701643486, 200701643562, 200701643634, etc.)

Table with 10 columns of alphanumeric identifiers (e.g., 200701644051, 200701644117, 200701644201, etc.)

Table with 10 columns of alphanumeric identifiers (e.g., 200701644640, 200701644713, 200701644796, etc.)

Table with 10 columns of alphanumeric identifiers (e.g., 200701645290, 200701645325, 200701645390, etc.)

Table with 10 columns of alphanumeric codes, likely representing a list of identifiers or records.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.





Table with 10 columns of alphanumeric codes, likely representing a list of identifiers or records.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.

Table with 10 columns of alphanumeric codes, continuing the list from the previous page.