

Table with 20 columns of numerical data, likely representing a calendar or schedule for the year 2014. The data is organized in a grid format with rows and columns of numbers.

Table with 20 columns containing alphanumeric identifiers (e.g., 2009/00228825, 2009/00228826) and 20 columns containing alphanumeric identifiers (e.g., 2009/00230028, 2009/00230029). The table lists various records in a grid format.

Table with 10 columns of alphanumeric identifiers, likely representing a list of records or documents. The table contains multiple rows of data, each row consisting of 10 distinct alphanumeric strings.

Table with 20 columns and 1000 rows of alphanumeric data, likely a list of identifiers or records.

Table with 10 columns of numerical data, likely representing a calendar or schedule. The data is organized in a grid format with rows and columns of numbers.

Table with 25 columns and 1000 rows of alphanumeric data, likely a list of identifiers or records.

Table with 10 columns of alphanumeric codes, likely representing a schedule or official record. The codes are organized in a grid format across the page.





Table with 10 columns of alphanumeric identifiers, likely representing a schedule or list of items. The table contains a dense grid of numbers and letters, organized in 10 columns and approximately 100 rows.



Table with 20 columns of alphanumeric codes, likely representing a schedule or list of items. The codes are organized in a grid format across the page.

Table with 20 columns containing alphanumeric codes (e.g., 2009/0026411, 2009/0026491, etc.) arranged in a grid format.

Table with 10 columns of alphanumeric identifiers, likely representing a list of records or documents. The table contains a dense grid of numbers and letters, organized in a structured manner across the page.

Table with 20 columns and 1000 rows of alphanumeric data, likely representing a list of records or identifiers.

Table with 20 columns containing alphanumeric codes (e.g., 2009.00206832, 2009.00204733, 2003.00204802) arranged in a grid format.





Table with 10 columns of alphanumeric identifiers, likely representing a list of records or documents. The table contains multiple rows of data, each row consisting of 10 distinct alphanumeric strings.

Table with multiple columns containing alphanumeric codes (e.g., 2009/001/96060, 2009/001/96061, etc.) and their corresponding dates or identifiers.

Table with 10 columns of alphanumeric identifiers (e.g., 2009/00132634, 2009/00132635) arranged in a grid format.

Table with 10 columns of alphanumeric identifiers (e.g., 2009/00196189, 2009/00196190) arranged in a grid format.

Table with 10 columns of alphanumeric identifiers (e.g., 2009/0018877, 2009/0018878, etc.) arranged in a grid format.

Table with 10 columns of alphanumeric codes (e.g., 2009/00194361, 2009/00194362) arranged in a grid format.

Table with multiple columns containing alphanumeric codes (e.g., 2009/00181927, 2009/00181928, etc.) and their corresponding dates (e.g., 2009/01/20, 2009/01/21, etc.). The table is organized in a grid-like structure with approximately 10 columns and 100 rows.



Table with 20 columns of alphanumeric codes, likely representing a list of records or identifiers. The codes are organized in a grid format across the page.



Table with 10 columns of alphanumeric codes, likely representing a list of records or identifiers. The codes are organized in a grid format across the page.

Table with 10 columns of alphanumeric codes, likely representing a list of entries or identifiers. The codes are organized in a grid format across the page.

Table with 10 columns of alphanumeric identifiers, likely representing a list of records or documents. The table contains multiple rows of data, each row consisting of 10 distinct alphanumeric strings.

Table with 20 columns and 1000 rows of alphanumeric data, likely a lottery or registration list. Each row contains 20 distinct alphanumeric strings.

Table with 10 columns of numerical data, likely representing a calendar or schedule for the year 2014. The data is organized in a grid format with rows and columns of numbers.

Table with 20 columns and 1000 rows of numerical data, likely representing a calendar or schedule. The data is organized in a grid format with varying column widths.

Table with 20 columns of alphanumeric codes, likely representing a list of records or identifiers. The codes are organized in a grid format across the page.

Table with 10 columns of numerical data, likely representing a calendar or schedule. The data is organized in a grid format with rows and columns of numbers.



Table with 10 columns of alphanumeric identifiers (e.g., 2009.00172429, 2009.00172505, etc.) arranged in a grid format.



Table with 20 columns of numerical data, likely representing a calendar or schedule for the week of June 27, 2014. The table contains a dense grid of numbers, possibly representing dates or specific events.

Table with 20 columns and 1000 rows of alphanumeric data, likely representing a list of records or identifiers.



Table with multiple columns containing alphanumeric codes (e.g., 2009/00136736, 2009/00140001, 2009/00140143) and their corresponding values.

Table with 10 columns of numerical data, likely representing a calendar or official schedule. The data is organized in a grid format with rows and columns of numbers.

Table with 10 columns of numerical data, likely representing a list of records or identifiers. The data is organized in a grid format across the page.





Table with 20 columns containing alphanumeric codes (e.g., 2008/00813625, 2008/00813738, etc.) and 2 rows of data.

Table with 10 columns of alphanumeric identifiers (e.g., 2008.00823103, 2009.00824152, etc.) arranged in a grid format.



Table with multiple columns containing alphanumeric codes, likely representing a schedule or official record. The table is organized in a grid format with approximately 10 columns and 100 rows of data.

Table with 20 columns of alphanumeric identifiers, likely representing a list of records or documents. The table is organized into two main sections, each with 10 columns. The data consists of long alphanumeric strings, possibly IDs or codes, arranged in a grid format.

Table with 20 columns of numerical data, likely representing a calendar or schedule for the week of June 27, 2014. The data is organized in a grid format with rows and columns of numbers.

Table with 10 columns of alphanumeric identifiers, likely representing a list of records or documents. The table contains multiple rows of data, each row consisting of 10 distinct alphanumeric strings.



Table with 10 columns of alphanumeric codes, likely representing a schedule or list of items. The codes are organized in a grid format across the page.

Table with 20 columns of numerical data, likely representing a calendar or schedule for the year 2014. The data is organized in a grid format with rows and columns of numbers.